3-22-04

PTO/SB/21 (08-00)
Approved for use through 10/31/2002. OMB 0651-0031
U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE
Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

TR/	ANS	MIT	TAL
	FO	RM	

(to be used for all correspondence after initial filing)

Total Number of Pages in This Submission 109

Application Number	10/773706
Filing Date	12/11/2003
First Named Inventor	Acsadi et al.,
Group Art Unit	
Examiner Name	
Attorney Docket Number	48.01

	ENCLOSURES (check	all that apply)	
Fee Transmittal Form	Assignment Papers (for an Application)	After Allowance Communication to Group	
Fee Attached	Drawing(s)	Appeal Communication to Board of Appeals and Interferences	
Amendment / Reply	Licensing-related Papers	Appeal Communication to Group (Appeal Notice, Brief, Reply Brief)	
After Final	Petition	Proprietary Information	
Affidavits/declaration(s)	Petition to Convert to a Provisional Application	Status Letter	
Extension of Time Request	Power of Attorney, Revocation Change of Correspondence Address	Other Enclosure(s) (please identify below):	
Express Abandonment Request	Terminal Disclaimer Request for Refund		
Information Disclosure Statement	CD, Number of CD(s)		
Certified Copy of Priority Document(s)	Remarks		
Response to Missing Parts/ Incomplete Application			
Response to Missing Parts under 37 CFR 1.52 or 1.53			
under 57 CFK 1.52 df 1.55	under 37 CFR 1.52 or 1.53		
SIGNATU	JRE OF APPLICANT, ATTORNEY, OR	AGENT	
Firm Mirus Corpora Individual name	tion		
Signature			
Date 03/10/2004			
	CERTIFICATE OF MAILING		

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Commissioner for Patents, Washington, DC 20231 on this date: 03/20/2004 Mark K. Johnson Typed or printed name 03/20/2004 Signature Date

Burden Hour Statement: This form is estimated to take Of hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete the form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Application of: Acsadi et al.,)	
Serial No.: 10/773706))
,)
Filed: 12/11/2003))
Group Art Unit:)

For: COMPOSITIONS AND METHODS FOR DRUG DELIVERY USING pH SENSITIVE MOLECULES

INFORMATIONAL STATEMENT

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Dear Sir:

Pursuant to 37 C.F.R. 1.56, applicant hereby calls to the attention of the Patent and Trademark Office the publications listed on the attached PTO 1449. One copy of each publication is attached.

UNITED STATES PATENTS

Patent No. Inventor Issue Date

FOREIGN PATENTS

Patent No. Inventor Issue Date

REFERENCES CITED

Acsadi et al., "Direct gene transfer and expression into rat heart in vivo," The New Biologist; 1991, vol. 3, no.1, pp. 71-81

Budker et al., "The efficient expression of intravascularly delivered DNA in rat muscle," <u>Gene Therapy</u>; 1998, vol. 5, pp. 272-276.

Chapman et al., "Gene transfer into coronary arteries of intact animals with a percutaneous balloon catheter," Circulation Research; 1992, vol.71, no. 1, pp. 27-33

Chowdhury et al., "Long-term improvement of hypercholesterolemia after ex vivo gene therapy in ldlr-deficient rabbits," Science; 1991, vol. 254, pp. 1802-1805

Ferry et al., "retroviral-mediated gene transfer into hpatocytes in vivo," Proc. Natl. Acad. Sci. USA; 1991, vol. 88, pp. 8377-8381

Greelish et al., "stable restoration of the sarcologycan complex in dystrophic muscle perfused with histamine and a recombinant adeno-associated viral vector," Nature Medicine; 1999, vol. 5, no. 4, pp. 439-443

Grossman et al., "successful ex vivo gene therapy directed to liver in a patient with familial hypercholesterolaemia," Nature Genetics; 1994, vol. 6, pp. 335-341

Hengge et al., "Cytokine gene expression in epidermis with biological effects following injection of naked dna," Nature Genetics; 1995, vol. 10, pp. 161-166

Hickman et al., "Gene expression following direct injection of dna into liver," Human Gene Therapy; 1994, vol. 5, pp. 1477-1483

Jaffe et al., "Adenovirus-mediated in vivo gene transfer and expression in normal rat liver," Nature Genetics; 1992, vol. 1, pp. 372-378

Kaleko et al., "Persistent gene expression after retroviral gene transfer into liver cells in vivo," Human Gene Therapy; 1991, vol. 2, pp. 27-32

Kaneda et al., "Increased expression of dna cointroduced with nuclear protein in adult rat liver," Science; 1989, vol. 243, pp. 375-378

Kaneda et al., "Introduction and expression of the human insulin gene in adult rat liver," The Journal of Biological Chemistry; 1989, vol. 264, no. 21, pp. 12126-12129

Kay et al., "Hepatic gene therapy: persistent expression of human a1-antitrypsin in mice after direct gene delivery in vivo," Human Gene Therapy; 1992, vol. 3, pp. 641-647

Ledley et al., "Retroviral gene transfer into primary hepatocytes: implications for genetic therapy of liver-specific functions," Proc. Natl. Acad. Sci. USA; 1987, vol. 84, pp. 5335-5339

Li et al., "Assessment of recombinant adenoviral vectors for hepatic gene therapy," Human Gene Therapy; 1993, vol. 4, pp. 403-409

Liu et al., "Hydrodynamics-based transfection in animals by systemic administration of plasmid dna," Gene Therapy; 1999, vol. 6, pp. 1258-1266

Malone et al., "Dexamethasone enhancement of gene expression after direct hepatic dna injection," The Journal of Biological Chemistry; 1994, vol. 269, no. 47, pp. 29903-29907

Meyer et al., "Intratecheal gene delivery to the mouse airway: characterization of plasmid DNA expression and pharmacokinetics," Gene Therapy; 1995, vol. 2, pp. 450-460

Milas et al., "Isolated limb perfusion in the sarcoma-bearing rat: a novel preclinical gene delivery system," Clinical Cancer Research; 1997, vol. 3, pp. 2197-2203

Riessen et al., "Arterial gene transfer using pure dna applied directly to a hydrogel-coated angioplasty balloon," Human Gene Therapy; 1993, vol. 4, pp. 749-758

Sikes et al., "In vivo gene transfer into rabbit thyroid follicular cells by direct dna injection," Human GeneTherapy; 1994, vol. 5, no. 837-844

Soriano et al., "Targeted and nontargeted liposomes for in vivo transfer to rat liver cells of a plasmid containing the preproinsulin I gene," Proc. Natl. Acad. Sci. USA; 1983, vol. 80, pp. 7128-7131

Stratford-Perricaudet et al., "Evaluation onf the transfer and expression in mice of an enzyme-encoding gene using a human adenovirus vector," Human Gene Therapy; 1990, vol. 1, pp. 241-256

Vile et al., "Use of tissue-specific expression of the herpes simplex virus thymidine kinase gene to inhibit growth of established murine melanomas following direct intratumoral injection of dna," Cancer Research; 1993, vol. 53, pp. 3860-3864

Wolff et al., "Direct gene transfer into mouse muscle in vivo," Science; 1990, vol. 247, pp. 1465-1468

Wolff et al., "Expression of retrovirally transduced genes in primary cultures of adult rat hepatocytes," Proc. Natl. Acad. Sci. USA; 1987, vol. 84, pp. 3344-3348

Yang et al., "Immune responses to viral antigens versus transgene product in the elimination of recombinant adenovirus-infected hepatocytes in vivo," Gene Therapy; 1996, vol. 3, pp. 137-144

Zhang et al., "efficient expression of naked dna delivered intraarterially to limb muscles of nonhuman primates," Human gene therapy; 2001, vol. 12, pp. 427-438

Zhang et al., "High levels of foreign gene expression in hepatocytes after tail vein injections of naked plasmid dna," Human Gene Therapy; 1999, vol. 10, pp. 1735-1737

Respectfully submitted,

Mark K. Johnson Reg. No. 35,909

Mirus

505 South Rosa Road Madison, WI 53719 (608)238-4400 I hereby certify that this correspondence is being deposited with the United States Postal Service as Express Mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on 3/10/04.

Signature /

INFORMATION DISCLOSURE
STATEMENT BY APPLICANT

FORM PTO-1449

Applicant: Acsadi et al.,

Group:

							Examiner	:
			U.S.	PATENT DOCUMENT	rs			
Exmnr Intl	Seq	Patent Number	Issue Date	Patentee	Class	Sub Class	Filing Date	-
							12/11/200)3
		FOREIGN PA	TENT OR P	UBLISHED FOREIGN	PATENT AP	PLICATIO	N	
		Document Number	Publ. Date	Country or Patent Office	Class	Sub Class	Tra Yes	nsl. No
OTHER	DOCU			ate Pertinent Pages, e			yo " The Nov	
	Acsadi et al., "Direct gene transfer and expression into rat heart in vivo," The New Biologist; 1991, vol. 3, no.1, pp. 71-81							
	Budker et al., "The efficient expression of intravascularly delivered DNA in rat muscle," Gene Therapy; 1998, vol. 5, pp. 272-276.				uscle,"			
Chapman et al., "Gene transfer into coronary arteries of intact animals with a percutaneous balloon catheter," Circulation Research; 1992, vol.71, no. 1, pp. 27-33				utaneous				
Chowdhury et al., "Long-term improvement of hypercholesterolemia after ex vivo gene therapy in ldlr-deficient rabbits," Science; 1991, vol. 254, pp. 1802-1805				gene				
Ferry et al., "retroviral-mediated gene transfer into hpatocytes in vivo," Proc. Natl. Acad. Sci. USA; 1991, vol. 88, pp. 8377-8381			. Acad.					
Greelish et al., "stable restoration of the sarcologycan complex in dystrophic muscle perfused with histamine and a recombinant adeno-associated viral vector," Nature Medicine; 1999, vol. 5, no. 4, pp. 439-443								
	Grossman et al., "successful ex vivo gene therapy directed to liver in a patient with family hypercholesterolaemia," Nature Genetics; 1994, vol. 6, pp. 335-341			n familial				
		Hengge et al., "C	Cytokine ger	ne expression in epideure Genetics; 1995, v	ermis with	biological	l effects follo	owing
		Hickman et al., '		ssion following direc			to liver," Hu	man Gene

Therapy; 1994, vol. 5, pp. 1477-1483

..**.**

61	PEZ
MAR 2	O 2004 S.
To an	RADE Taffe et al., "Adenovirus-mediated in vivo gene transfer and expression in normal rat liver," Nature Genetics: 1992, vol. 1, pp. 372-378
	Nature Genetics; 1992, vol. 1, pp. 372-378
	Kaleko et al., "Persistent gene expression after retroviral gene transfer into liver cells in vivo," Human Gene Therapy; 1991, vol. 2, pp. 27-32
	Kaneda et al., "Increased expression of dna cointroduced with nuclear protein in adult rat liver," Science; 1989, vol. 243, pp. 375-378
	Kaneda et al., "Introduction and expression of the human insulin gene in adult rat liver," The Journal of Biological Chemistry; 1989, vol. 264, no. 21, pp. 12126-12129
	Kay et al., "Hepatic gene therapy: persistent expression of human a1-antitrypsin in mice after direct gene delivery in vivo," Human Gene Therapy; 1992, vol. 3, pp. 641-647
	Ledley et al., "Retroviral gene transfer into primary hepatocytes: implications for genetic therapy of liver-specific functions," Proc. Natl. Acad. Sci. USA; 1987, vol. 84, pp. 5335-5339
	Li et al., "Assessment of recombinant adenoviral vectors for hepatic gene therapy," Human Gene Therapy; 1993, vol. 4, pp. 403-409
	Liu et al., "Hydrodynamics-based transfection in animals by systemic administration of plasmid dna," Gene Therapy; 1999, vol. 6, pp. 1258-1266
	Malone et al., "Dexamethasone enhancement of gene expression after direct hepatic dna injection," The Journal of Biological Chemistry; 1994, vol. 269, no. 47, pp. 29903-29907
	Meyer et al., "Intratecheal gene delivery to the mouse airway: characterization of plasmid DNA expression and pharmacokinetics," Gene Therapy; 1995, vol. 2, pp. 450-460
	Milas et al., "Isolated limb perfusion in the sarcoma-bearing rat: a novel preclinical gene delivery system," Clinical Cancer Research; 1997, vol. 3, pp. 2197-2203
	Riessen et al., "Arterial gene transfer using pure dna applied directly to a hydrogel-coated angioplasty balloon," Human Gene Therapy; 1993, vol. 4, pp. 749-758
	Sikes et al., "In vivo gene transfer into rabbit thyroid follicular cells by direct dna injection," Human GeneTherapy; 1994, vol. 5, no. 837-844
	Soriano et al., "Targeted and nontargeted liposomes for in vivo transfer to rat liver cells of a plasmid containing the preproinsulin I gene," Proc. Natl. Acad. Sci. USA; 1983, vol. 80, pp. 7128-7131
	Stratford-Perricaudet et al., "Evaluation onf the transfer and expression in mice of an enzyme-encoding gene using a human adenovirus vector," Human Gene Therapy; 1990, vol. 1, pp. 241-256
	Vile et al., "Use of tissue-specific expression of the herpes simplex virus thymidine kinase gene to inhibit growth of established murine melanomas following direct intratumoral injection of dna," Cancer Research; 1993, vol. 53, pp. 3860-3864
	Wolff et al., "Direct gene transfer into mouse muscle in vivo," Science; 1990, vol. 247, pp. 1465-1468

Wolff et al., "Expression of retrovirally transduced genes in primary cultures of adult rat

of recombinant adenovirus-infected hepatocytes in vivo," Gene Therapy; 1996, vol. 3, pp.

Zhang et al., "efficient expression of naked dna delivered intraarterially to limb muscles of

137-144

hepatocytes," Proc. Natl. Acad. Sci. USA; 1987, vol. 84, pp. 3344-3348

Yang et al., "Immune responses to viral antigens versus transgene product in the elimination

MAR 2 0 20	
& mane	nhuman primates," Human gene therapy; 2001, vol. 12, pp. 427-438
IIIABE	Zhang et al., "High levels of foreign gene expression in hepatocytes after tail vein injections of naked plasmid dna," Human Gene Therapy; 1999, vol. 10, pp. 1735-1737

Examiner: Initial citation considered. Draw line through citation if not in conformance and not Considered. Include copy of this form with next Action to applicant